



Education

Healthy Diet Teen Version

Health Problems Related to Diet

At least 6 health problems have been proven to relate to diet:

1. **Iron deficiency anemia** The body needs iron to build red blood cells. This type of anemia usually occurs between 6 months and 2 years of age. It can also occur in adolescents, especially in girls with heavy menstrual periods. Many teens have no symptoms. If they do, the most common symptoms are fatigue, shortness of breath, and poor endurance.
2. **Overweight** Obesity is one of the most common nutritional problems in this country. Obesity is also one of the most important contributing factors in heart disease, hypertension, and some cancers.
3. **Tooth decay** Tooth decay is more likely if you have a lot of sugar in your diet. (Poor toothbrushing habits also contribute to tooth decay.)
4. **Intestinal symptoms** Too little fiber in the diet can cause intestinal problems such as constipation, abdominal discomfort, appendicitis, gallstones, and some intestinal cancers.
5. **Coronary artery disease** A lot of animal fat (especially cholesterol) in the diet contributes to coronary artery disease. This disease is less common among vegetarians.
6. **High blood pressure** High blood pressure is mainly due to narrowed arteries from a high fat diet. An increased amount of salt or a decreased amount of calcium in the diet contributes to high blood pressure in some susceptible persons. Most people, however, get rid of extra salt through their kidneys and don't develop high blood pressure.

Recommendations for a Healthy Diet

- **Learn the 5 basic food groups.** Food can be divided into 5 basic groups: milk products, meat/eggs, grains, fruits, and vegetables. The USDA revised the Dietary Guidelines for Americans in 2005. The recommended servings per day as listed are for teens and adults.
 - milk products (milk, cheese, yogurt, ice cream) 2 to 3 servings per day (8 ounces is 1 serving)
 - meat/eggs (red meats, poultry, fish, and eggs) 2 servings per day (5 ounces per day total)
 - grains (breads, cereals, rice, pasta) 6 to 11 servings per day (1 slice of bread is 1 serving)
 - fruits (juice or solid fruit) 2 to 4 servings per day (1/2 cup is 1 serving)
 - vegetables (juice or vegetables): 3 to 5 servings per day (1/2 cup is 1 serving) 20% of a healthy diet should consist of milk, meat and eggs, and 80% should be vegetables, fruits, and grains. (Fiber is found in grains, fruits, and vegetables.)
 - **Eat 3 meals a day.** Breakfast is essential. Skipping breakfast can compromise performance at school. If you are on a weight loss diet, you should know that skipping breakfast usually doesn't lead to weight loss. All meals should contain fruits or vegetables, as well as grains. Meat or milk should be included in 2 of the meals. Eating snacks is largely a habit. Snacks are unnecessary for good nutrition but harmless unless you are overweight. If you like snacks, try to eat more fruits, vegetables, and grains.
 - **Decrease the amount of fat (meat and milk products) in the diet.** Americans eat excessive amounts of meat and dairy products. To decrease the amount of fat in the diet, follow these guidelines:
 - Remember that one serving of meat per day is adequate for normal growth and development. (Don't eat meat more than twice a day.)
 - Eat more fish and poultry and fewer red meats, since the latter have the highest cholesterol levels. Lean red meats are lean ground beef, pork loin, veal, and lamb.
 - Trim fat off meats and the skin from poultry.
 - Don't eat bacon, sausages, spareribs, pastrami, and other meats that have a high fat content. Cut back on hot dogs, lunch meats, and corned beef.
-

- Limit the number of eggs to 3 or 4 per week. (Eggs have the highest cholesterol content of any of the commonly eaten foods. The cholesterol in one egg is equivalent to the cholesterol in 14 ounces of beef, 1-and-1/2 quarts of whole milk, or 1 quart of ice cream.)
 - Drink 1% or 2% milk or skim milk instead of whole milk.
 - Decrease the amount of milk you drink to 2 or 3 cups per day. (Drink water to satisfy thirst.) On the other hand, some teenage girls may need to consume adequate milk products (the equivalent of 3 glasses of milk) to lay down the bone mass required to prevent osteoporosis later in life.
 - Eat a vegetable oil spread with no trans fats instead of butter.
 - Keep in mind that red meat may be hard to give up because of the widespread misconception that red meat helps to build muscle mass and strength. Other foods such as fish, chicken, and beans also have lots of protein.
- **Increase the amount of fruits, vegetables, and grains in your diet.** Follow these guidelines:
 - Eat at least 8 servings (4 cups total) of fruits and vegetables per day. (50% of Americans eat only 1 fruit or vegetable per day.)
 - Try to eat a fruit at every meal.
 - Eat more fruits as dessert and snacks.
 - Start every day with a glass of fruit juice. (Caution: Limit fruit juices to 2 cups per day to prevent diarrhea.)
 - Since fruits and vegetables are interchangeable, you don't have to eat vegetables you don't like.
 - Eat more soups.
 - Eat more cereals for breakfast.
 - Use more whole-grain bread in making sandwiches.
 - **Include an adequate amount of iron in the diet.** Throughout our lives we need adequate iron in our diets to prevent anemia. Everyone should know which foods are good sources of iron. Red meats, fish, and poultry are best. Having 2 servings per day of these foods will provide adequate iron. Although liver is a good source of iron, it contains 16 times more cholesterol than beef and should be avoided. Adequate iron is also found in iron-enriched cereals, beans of all types, peanut butter, raisins, prune juice, sweet potatoes, spinach, and egg yolks. The iron in these foods is better absorbed if the meal also contains fruit juice or meat.
 - **Avoid excessive salt.** Salt is not usually harmful for people without high blood pressure. However, to discourage a taste for excessive salt, remove the salt shaker from the dinner table. Use other herbs and spices instead of salt. Eat salty foods such as potato chips and pretzels sparingly.
 - **Avoid excessive pure sugars.** Sweets are not harmful, but they should be eaten in moderation. Most humans are born with a "sweet tooth." They seek out and enjoy candy, soft drinks, and desserts. The main side effect of eating candy is tooth decay if the teeth are not brushed afterward. Eating food with a lot of sugar ("a sugar binge") can cause jitters, sweating, dizziness, sleepiness, and intense hunger 2 to 3 hours later. This temporary reaction is not harmful and can be relieved by eating some food. A love of sweets is not related to obesity (if the total calories per day are normal) or hyperactivity. A high amount of sugar in the diet has not been correlated with coronary artery disease or cancer.
 - **Know what to eat before exercise.** Eating meat does not improve athletic performance. The best foods to eat before prolonged exercise are complex carbohydrates (starches). These include bread, pasta (noodles), potatoes, and rice. You should eat these foods 3 to 4 hours before the athletic event so they have passed out of the stomach. It is important to drink water up to the time of the activity and every 20 to 30 minutes during the activity.

Pediatric Advisor 2006.4; Copyright © 2006 McKesson Corporation and/or one of its subsidiaries. All Rights Reserved. Written by B.D. Schmitt, M.D., author of "Your Child's Health," Bantam Books. This content is reviewed periodically and is subject to change as new health information becomes available. The information is intended to inform and educate and is not a replacement for medical evaluation, advice, diagnosis or treatment by a healthcare professional.

Food Guidance System My Pyramid Plan



The My Pyramid Plan is based on your age, gender, and how much exercise you get each day. You can find out how many calories you should eat each day and the amount of the foods you should eat by going to www.mypyramid.gov. The example below is for a diet of 2000 calories per day.

	Amount per day
Grains	6 ounces
Vegetables	2 ½ cups
Fruits	2 cups
Milk	3 cups
Meat & Beans	5.5 ounces
Oils	6 teaspoons

Limit extra fats and sugars to less than 265 calories per day

Get 30 minutes (or more) of moderate to vigorous physical activity



Healthy Eating Tips

- Half of the grains you eat should be whole grains.
- Vary your veggie choices. Eat some dark green, orange, and starchy vegetables every week.
- Make most of your fruit choices whole or cut-up fruit rather than juice so you get more fiber.
- Choose fat-free or low-fat milk and yogurt.
- Choose lean cuts of meat. Also eat beans (such as black, soy, or pinto beans) for protein.
- Look for foods that are low in saturated fats, trans fats, and cholesterol to help reduce your risk of heart disease.

Adapted from USDA Food Guidance System.
Copyright © 2005 McKesson Corporation and/or one of its subsidiaries. All Rights Reserved.